

NEUROMETHODS

Series Editor
Wolfgang Walz
University of Saskatchewan
Saskatoon, SK, Canada

For other titles published in this series, go to
www.springer.com/series/7657

Zebrafish Models in Neurobehavioral Research

Edited by

Allan V. Kalueff

and

Jonathan M. Cachat

*Department of Pharmacology and Neuroscience Program,
Tulane University Medical School, New Orleans, LA, USA*

Editors

Allan V. Kalueff
Department of Pharmacology
and Neuroscience Program
Tulane University Medical School
70112 New Orleans, LA, USA
avkalueff@gmail.com

Jonathan M. Cachat
Department of Pharmacology
and Neuroscience Program
Tulane University Medical School
70112 New Orleans, LA, USA
cachatj@gmail.com

ISSN 0893-2336

ISBN 978-1-60761-921-5

DOI 10.1007/978-1-60761-922-2

Springer New York Dordrecht Heidelberg London

e-ISSN 1940-6045

e-ISBN 978-1-60761-922-2

Library of Congress Control Number: 2010935582

© Springer Science+Business Media, LLC 2011

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Humana Press, c/o Springer Science+Business Media, LLC, 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

While the advice and information in this book are believed to be true and accurate at the date of going to press, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Humana Press is part of Springer Science+Business Media (www.springer.com)

Series Preface

Under the guidance of its founders Alan Boulton and Glen Baker, the Neuromethods series by Humana Press has been very successful since the first volume appeared in 1985. In about 17 years, 37 volumes have been published. In 2006, Springer Science + Business Media made a renewed commitment to this series. The new program will focus on methods that are either unique to the nervous system and excitable cells or which need special consideration to be applied to the neurosciences. The program will strike a balance between recent and exciting developments like those concerning new animal models of disease, imaging, in vivo methods, and more established techniques. These include immunocytochemistry and electrophysiological technologies. New trainees in neurosciences still need a sound footing in these older methods in order to apply a critical approach to their results. The careful application of methods is probably the most important step in the process of scientific inquiry. In the past, new methodologies led the way in developing new disciplines in the biological and medical sciences. For example, physiology emerged out of anatomy in the nineteenth century by harnessing new methods based on the newly discovered phenomenon of electricity. Nowadays, the relationships between disciplines and methods are more complex. Methods are now widely shared between disciplines and research areas. New developments in electronic publishing also make it possible for scientists to download chapters or protocols selectively within a very short time of encountering them. This new approach has been taken into account in the design of individual volumes and chapters in this series.

Wolfgang Walz

Preface

The use of animal models has become increasingly important for biomedical research over the past decade, enabling a better understanding of pathogenic pathways involved in a variety of human disorders. Within the realm of neurobehavioral research, animal models have played a crucial role in the development of new insights and theories of brain pathogenesis. Animal models such as mice, hamsters, and rabbits have been utilized in a multitude of neurobehavioral studies, yielding experimental data that have lead researchers to a better comprehension of neurobiology. As scientific research progresses, investigators are attempting to identify more novel animal models to utilize in new avenues of neurobehavioral research.

Zebrafish (*Danio rerio*) have become increasingly popular in biomedical research. Research conducted on these aquatic vertebrates has generated considerable discoveries not only in the areas of genetics and embryology but also in fields such as cardiology, endocrinology, and neuroscience. Zebrafish are promising animal models because of their high genetic homology with humans and quantifiable behavioral and neuropathological phenotypes analogous to humans.

The use of zebrafish to investigate the pathological mechanisms underlying neuropsychiatric disorders and behavior quantification is explored in depth in this book. The opening **Chapter 1** is a comprehensive review of zebrafish behavior, ecology, taxonomy, reproduction, and genetics. This chapter emphasizes the need for continued experimentation in cognition, behavior, and field-based studies, resulting in a more thorough understanding of the zebrafish model.

Critical to survival in a natural habitat and strongly influencing their behavior, the olfactory system in zebrafish is explored in **Chapter 2**. Zebrafish possess three distinct types of olfactory sensory neurons, which integrate with other areas of the brain to induce various physiological and behavioral effects in response to odors. Olfaction allows zebrafish to detect nearby food, predators, and mates, in addition to conveying information relating to spawning sites, reproduction, dangerous environments, and the distinction between self and kin. Advanced knowledge of the neurological basis of olfaction is key to a better understanding of zebrafish wild type and anxiety-related behavior.

Chapter 3 focuses on the emergence of zebrafish as an effective model to study stress and anxiety. This chapter presents a concise introduction to anxiety-induced endocrine and behavioral responses in zebrafish. Since zebrafish possess all the classical vertebrate transmitters, and their neuroendocrine system yields robust cortisol responses to stress, zebrafish models enable greater insight into neural mechanisms associated with anxiety-related disorders. Furthermore, this chapter illustrates the importance of behavioral assays, genetic manipulation, pharmacological treatment, and video tracking for analysis of the phenomena involved in anxiety-related phenotypes.

While zebrafish demonstrate promising potential in the field of anxiety and stress-related research, they have also emerged as valuable models in other areas of neurobehavioral research. **Chapter 4** describes how the effects of nicotine on processes such as learning, memory, and stress are similar to those exhibited by humans and rodents. The

authors' analysis suggests that zebrafish may present significant translational capabilities in research as a model for the behavioral effects of nicotine.

Based on the establishment of zebrafish as a suitable model for behavioral research, **Chapter 5** details the process for quantitative trait loci (QTL) mapping and how it attempts to discover the specific causative genes responsible for variations in complex behavioral traits in zebrafish. Because of the strides taken recently in the study of zebrafish behavior, QTL mapping would not only lead to a greater understanding of zebrafish activity, but also strengthen its application as a genetic model.

Chapter 6 explores the effects of alcohol on several strains of zebrafish. Like anxiety, alcoholism is a serious brain disease for which the pathogenic mechanisms are not well understood. Alcohol abuse in the world is on the rise, making a genetic model for the development of alcoholism vital. Using a noninvasive evaluation technique, the acute and chronic effects of ethanol on zebrafish were observed, clarifying the genetic factors involved in alcoholism.

Along the same line, the authors of **Chapter 7** explore the use of zebrafish as a model of drug dependence and relapse behaviors in humans. These robust reactions to nicotine and alcohol not only reinforce the use of zebrafish as a behavioral model of addiction but also strengthen the notion that zebrafish may be utilized to discover various genetic factors underlying drug dependence, withdrawal, and relapse.

As previously mentioned, many neuroscientists seek to gain a more concrete understanding of the pathogenic mechanisms that induce neurobiological disorders and behavior. However, in some cases, an error in the mechanism of the neural circuitry is not the only contributing cause of behaviors or diseases that are expressed. **Chapter 8** examines the impact of neurotoxic chemicals on the nervous system and their potential to increase susceptibility to neurodegenerative disorders. In this chapter, the authors utilize the high sensitivity of zebrafish to environmental changes to investigate the correlation between the influence of environmental neurotoxins and neurodegenerative disorders. This research analyzes alterations in the biogenic amine system following exposure to pesticides, as well as the detrimental effect of neurotoxins on the nervous system.

Other experiments that examine the neural effects of environmental factors are explored in **Chapter 9**. This chapter analyzes predator-avoidance behavior exhibited by zebrafish, which is induced by external environmental factors such as alarm pheromone. The predator-avoidance behavior displayed by zebrafish is based upon learned recognition of external environmental cues. Exploration into the process of learned recognition in zebrafish will enable researchers to gain a more tangible understanding of the mechanisms that underlie cognitive processes of learning and memory.

In **Chapter 10**, the authors discuss avoidance behavior in zebrafish. Similar to the learned recognition phenomenon, inhibitory avoidance paradigms provide insight into the learning and memory capabilities of zebrafish. While the behavioral phenotypes of small teleost fish have frequently been considered to be dominated by reflex and instinct, recent studies have suggested a more complex phenotype influencing emotional, social, and reproductive behavior. The authors employ new experimental models with zebrafish, and area to investigate learning and memory, and area of research that will contribute to a more comprehensive understanding of the zebrafish brain and behavior.

Further exploring the zebrafish neurocognitive domain, **Chapter 11** reviews previous studies on the spatial cognitive abilities of zebrafish. Mounting evidence, summarized in this chapter, demonstrates the capability of zebrafish to learn from visual cues that identify

potential risk or reward. The application of these tests may serve as an insightful resource by which the spatial cognition of zebrafish can be illuminated.

Finally, **Chapter 12** describes common larval zebrafish behaviors. While the behavioral phenotypes of adult zebrafish are important to study in detail, the functionality of zebrafish larvae must be equally well understood in relation to its anatomical size and development. This chapter explores the scope of larval behavior, from movement to stimuli response to more complex behaviors such as swim bladder inflation, sleep, and social behavior. While a general repertoire may be established, specific behavioral tendencies are influenced by environmental factors such as temperature or nearby predators. Future experimentation is necessary to correlate the synergistic aspects of behavior and neurobiological development in zebrafish larvae.

Overall, this book emphasizes the growing importance of zebrafish in neurobehavioral research. As a promising alternative to mammalian animal models, zebrafish yield robust physiological responses analogous to humans but do not possess the complex behavioral phenotypes exhibited by many other animal models. This book portrays an extensive, thorough perspective on the emergence of zebrafish as a robust animal model in neuroscience research. The contributors to this book are leading international scholars whose work spearheads innovative research projects in laboratories around the world. The themes discussed within this book, ranging from stress-related behaviors to learning and memory phenotypes, encompass a wide spectrum of the utility of zebrafish within neurobiological disciplines. This theoretical book, as vol. 52 of the Humana Press Neuromethods series, complements another book (“Zebrafish Neurobehavioral Protocols”, vol. 51) of this series, which focuses on practical laboratory applications of these concepts. Together, these two volumes will serve as a useful source for scientists new to the field, as well as established researchers seeking valuable insight into the growing utility of zebrafish in behavioral neuroscience.

Allan V. Kalueff
Jonathan M. Cachat

Contents

<i>Series Preface</i>	<i>v</i>
<i>Preface</i>	<i>vii</i>
<i>Contributors</i>	<i>xiii</i>
1. Zebrafish Ecology and Behaviour <i>Rowena Spence</i>	1
2. Olfactory Behavior: Making Scents of a Changing World <i>Kathleen E. Whitlock</i>	47
3. Modeling Stress and Anxiety in Zebrafish <i>Jonathan M. Cachat, Peter R. Canavello, Marco F. Elegante, Brett K. Bartels, Salem I. Elkhayat, Peter C. Hart, Anna K. Tien, David H. Tien, Esther Beeson, Sopan Mohnot, Autumn L. Laffoon, Adam M. Stewart, Siddharth Gaikwad, Keith Wong, Whitlee Haymore, and Allan V. Kalueff</i>	73
4. Nicotinic Receptor Systems and Neurobehavioral Function in Zebrafish <i>Edward D. Levin</i>	89
5. QTL Mapping of Behaviour in the Zebrafish <i>Dominic Wright</i>	101
6. Genetics of Ethanol-Related Behaviors <i>Cynthia A. Dlugos</i>	143
7. Conditioned Place Preference Models of Drug Dependence and Relapse to Drug Seeking: Studies with Nicotine and Ethanol <i>Caroline H. Brennan, Amit Parmar, Layla K.M. Kily, Arani Ananthathevan, Arti Doshi, and Salma Patel</i>	163
8. Zebrafish Biogenic Amine Transporters and Behavior in Novel Environments: Targets of Reuptake Inhibitors and Pesticide Action as Tools for Neurotoxicology Research <i>Georgianna G. Gould</i>	181
9. Learned Recognition by Zebrafish and Other Cyprinids <i>Brian D. Wisenden</i>	211
10. Inhibitory Avoidance and Color Discrimination Learning in Zebrafish <i>Luciana Cofiel and Rosana Mattioli</i>	223

11. Spatial Cognition in Zebrafish 235
Joshua L. Haight and Joseph A. Schroeder

Contributors

- ARANI ANANTHATHEVAN • *Biological and Experimental Psychology Group, School of Biological and Chemical Sciences, Queen Mary University of London, London, UK*
- BRETT K. BARTELS • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- ESTHER BEESON • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- CAROLINE H. BRENNAN • *Biological and Experimental Psychology Group, School of Biological and Chemical Sciences, Queen Mary University of London, London, UK*
- HAROLD A. BURGESS • *Laboratory of Molecular Genetics, Eunice Kennedy Shriver National Institute of Child Health and Human Development, National Institutes of Health, Bethesda, MD, USA*
- JONATHAN M. CACHAT • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- PETER R. CANAVELLO • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- LUCIANA COFIEL • *Laboratório de Neurociências, Departamento de Fisioterapia, Universidade Federal de São Carlos, São Carlos, SP, Brazil*
- CYNTHIA A. DLUGOS • *Department of Pathology and Anatomical Sciences, School of Medicine and Biomedical Sciences, University of Buffalo/State University of New York, Buffalo, NY, USA*
- ARTI DOSHI • *Biological and Experimental Psychology Group, School of Biological and Chemical Sciences, Queen Mary University of London, London, UK*
- MARCO F. ELEGANTE • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- SALEM I. ELKHAYAT • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- KANDICE FERO • *Laboratory of Molecular Genetics, Eunice Kennedy Shriver National Institute of Child Health and Human Development, National Institutes of Health, Bethesda, MD, USA*
- ADAM M. STEWART • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- GEORGIANNA G. GOULD • *Department of Physiology, University of Texas at Health Science Center at San Antonio, San Antonio, TX, USA*
- JOSHUA L. HAIGHT • *Behavioral Neuroscience Program, Connecticut College, New London, CT, USA*
- PETER C. HART • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- WHITLEE HAYMORE • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- ALLAN V. KALUEFF • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*

- LAYLA K.M. KILY • *Biological and Experimental Psychology Group, School of Biological and Chemical Sciences, Queen Mary University of London, London, UK*
- AUTUMN L. LAFFOON • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- EDWARD D. LEVIN • *Department of Psychiatry and Behavioral Sciences, Duke University Medical Center, Durham, NC, USA*
- ROSANA MATTIOLI • *Laboratório de Neurociências, Departamento de Fisioterapia, Universidade Federal de São Carlos, São Carlos, SP, Brazil*
- SOPAN MOHNOT • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- AMIT PARMAR • *Biological and Experimental Psychology Group, School of Biological and Chemical Sciences, Queen Mary University of London, London, UK*
- SALMA PATEL • *Biological and Experimental Psychology Group, School of Biological and Chemical Sciences, Queen Mary University of London, London, UK*
- JOSEPH A. SCHROEDER • *Department of Psychology, Connecticut College, New London, CT, USA*
- ROWENA SPENCE • *University of St Andrews, St. Andrews Fife, Scotland*
- SIDDHARTH GAIKWAD • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- ANNA K. TIEN • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- DAVID H. TIEN • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- KATHLEEN E. WHITLOCK • *Centro de Genómicas Celular, Centro de Neurociencia de Valparaíso (CNV), Universidad de Valparaíso, Valparaíso, Chile*
- BRIAN D. WISENDEN • *Biosciences Department, Minnesota State University Moorhead, Moorhead, MN, USA*
- KEITH WONG • *Department of Pharmacology and Neuroscience Program, Tulane University Medical School, New Orleans, LA, USA*
- DOMINIC WRIGHT • *IFM-Biology, Linköping University, Linköping, Sweden*
- TOHEI YOKOGAWA • *Laboratory of Molecular Genetics, Eunice Kennedy Shriver National Institute of Child Health and Human Development, National Institutes of Health, Bethesda, MD, USA*